DUBOIS COUNTY: Key Data Points

- County witnessed 3 infant deaths, of which one is neonatal.
- A significantly larger percentage of women in the county are utilizing prenatal care during the first trimester of pregnancy compared to the state overall, 91.2% versus 80.6% respectively.
- The percentage of women smoking during pregnancy is significantly lower than the state percent, 11% versus 18.5% respectively.
- The percentage of unmarried parents in the county is lower than the state percent, 24.2% versus 37.1% respectively.
- Dubois county observed 17 accidental deaths (7 of which were motor vehicle), 5 suicidal deaths and 1 homicidal death.

Note: All figures relate to 2003 data from the Indiana State Department of Health, unless otherwise specified

Figure 1. Births

	Total		Wh	ite	Bla	ıck	Other	
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
Dubois County	501	12.5	493	12.4	2	33.9(U)	6	20.1(U)
INDIANA	86,382	13.9	75,422	13.7	9,288	17.5	1,672	10.6

^{*} births per 1,000 population; U = unstable rate, based on fewer than 20 births

Figure 2. Mortality

		NUMBER				RATE*		
COUNTY OF	REPORTED RACE/	Live	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths (28-364
RESIDENCE	ETHNICITY	Births			(28-364 days)			(26-304 days)
DUBOIS	All Races	501	3	1	2	**	**	**
	White	493	3	1	2	**	**	**
	Black	2	0	0	0	0	0	0
	Other	6	0	0	0	0	0	0
	Hispanic	45	0	0	0	0	0	0
INDIANA	All Races	86,382	641	417	224	7.4	4.8	2.6
	White	75,422	479	309	170	6.4	4.1	2.3
	Black	9,288	148	98	50	15.9	10.6	5.4
	Other	1,672	14	10	4	**	**	**
	Hispanic	6,763	38	22	16	5.6	3.3	**

^{*}rate per 1,000 live births **Numerator is less than 20 and the rate is unstable

Figure 3. Outcome Indicators of Mother, by Race


		Birth W	/eight			During P		
DUBOIS	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
COUNTY	Births	(< 2500 grams)	(< 1500 grams)	t	Trimester [‡]	Alcohol	Smoked	Parents
All Races	501	4.4	0.4	11.4	91.2(S)	0	11(S)	24.2
White	493	4.5	0.4	11.4	91.5(S)	0	10.8(S)	23.9(S)
Black	2	**	**	**	**	**	**	**

		Birth W			During Pregnancy			
	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
INDIANA	Births	(< 2500 grams)	(< 1500 grams)	t	Trimester ‡	Alcohol	Smoked	Parents
All Races	86,382	7.9	1.4	9.9	80.6	0.6	18.5	37.1
White	75,422	7.2	1.2	9.5	82.1	0.6	19.1	32.6
Black	9,288	13.3	3.3	13.3	68.2	1.1	15.2	76.3

[†] Preterm: less than 37 weeks gestation

Figure 4. Breastfeeding

DUBOIS COUNTY	All Races	White	Black
Total Births	501	493	2
Breastfeeding on Discharge	349	343	1
% Breastfeeding on Discharge	69.7	69.6	50



[†] PNC: Prenatal Care

'S' Significantly different than the state percent

"**' Outcomes for this county are suppressed due to 20 or fewer total births

Figure 4. Breastfeeding

INDIANA	All Races	White	Black
Total Births	86,382	75,422	9,288
Breastfeeding on Discharge	54,636	49,385	3,959
% Breastfeeding on Discharge	63.2	65.5	42.6




Figure 5. HIV/AIDS

	Total # of AIDS cases reported since 1982	Total # of HIV cases reported since 1985
DUBOIS COUNTY	9	8
INDIANA	7,641	3,856

^{*}data gathered from June 2005 HIV/STD Quarterly Report

Figure 6. Nutritional Risk Factors by Status,

Indiana WIC Clinics, Quarter Ending 09/30/2004

Local Agency: Dubois County Health Department										
Counties Inc	Counties Included: Dubois									
	Childr	en 1-5 y	ears of Ag	e			%			
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency			
Overweight	16	0	6	0	0	22	5.8%			
At Risk for becoming Overweight	12	1	4	0	0	17	4.5%			

Local Agency: State Wide Counties Included: All

	Childr	en 1-5 y		%					
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency		
Overweight	1,732	445	800	12	97	3,086	4.8%		
At Risk for becoming Overweight	2,023	485	639	11	124	3,282	5.1%		

	Priority Issues (Dubois & Indian	na)	
	Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.	Dubois	Indiana
2	% of Population enrolled in Medicaid as of June 2003	8	12.4
3	% of Population in Food Stamps Program, 2004	3.1	8.6
]	Priority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate	Dubois	Indiana
1	Av Total Infant Death Rate (1993-2002)	6.2	8.1
2	Average Fetal Death Rate (1994-2003)	6.2	6.7
]	Priority #2 (reduce barriers): Health Professional Shortage Areas, Percentage of women with prenatal care in first trimester	Dubois	Indiana
1	Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2005)	No Score	NA
2	% PNC 1st Trimester†, 2003	91.2	80.6
I	Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning	Dubois	Indiana
1	Prevalence of Asthma in a Medicaid Cohort of Children age 0-17 years, 2003	9.6	10.4
2	%Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2004-2005	NA	2.1
	Priority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking	Dubois	Indiana
1	% of mothers Smoked During Pregnancy, 2003	11.0	18.5
2	% of Adult Smoking in 2003	30.1	29.3
	Priority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).	Dubois	Indiana
1	Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2001-2003)	6	748
2	Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	407.15	1541.49
	Priority #8 (obesity): Obesity in pregnant women	Dubois	Indiana
1	Number of Obese Pregnant Women In Indiana, 2003	3	2,496
Pı	riority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates	Dubois	Indiana
1	Child deaths due to Injury 1-14yrs (2001-2003)	0	257
2	Child Abuse and Neglect per 1,000 Population under age 18, 2004	10.9	13.5
]	Priority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of Hispanic Population of any Race, LBW Disparity Ratio	Dubois	Indiana
1	% of Hispanic Population of any Race, July,1,2004	4.2	4.3
2	Low Birth Weight Disparity Ratio (B/W) (1993-2002)	NS	1.92
_	Name of Data Applying Team ISDII Notage 1 NS Not Stable 2 NA - Not Apply	11 2 7 6 . 37 . 11.	. 15.15.1

Source: Data Analysis Team, ISDH. **Notes:** 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test; %EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness"

Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each county.